

CASE DETAILS										LAND DETAILS											
Case Nature	Case No.	Petitioner	Respondent	Case Status	Admission Date	Next Hearing Date	Fixed For	Remarks	Circle	Halka	Mauja	Khata No.	Plot No.	Area in dismil	Report of Order	Sin of C.O.					
MUTATION 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						
	128	Pahlan Rajak, Dev gram	Chavidhtra rajak, Devgram	mutation	06.06.17	21.06.17	Order	00	cky	2	Devgram	70	1337	0.045	Allowed	CO					
MUTATION 129		Raas bihari maaji s/o Dharandas maaji, Devgram	Tarani naaji s/o Sarat maaji & others,	mutation	06.06.17	21.06.17	Order	2249/13.05.16	cky	2	Devgram	15	824	4.5	Allowed	CO					
MUTATION 130		Kalpana devi w/o Halkar modak, Alokdoha	Matya gouri baala dewya s/o Ram ratan modak, Maahal	mutation	06.06.17	21.06.17	Order	17.11.97	cky	2	Talgadiya	49	1244	8	Allowed	CO					
MUTATION 131		Ajit kumar rai s/o Khagendra kumar rai, haripur	Nepal chandra gorai s/o Kanhai gorai & others, chandankiyari	mutation	06.06.17	21.06.17	Order	1156/04.03.14	cky	5	Haripur	203	81	5	Allowed	CO					
MUTATION 132		Ajay kumar s/o Satya narayan singh, ashok nagar	Nimai chandra gorai s/o kanhai gorai & others, chandankiyari	mutation	06.06.17	21.06.17	Order	5093/02.09.14	cky	5	Rajpur	403	39	10	Allowed	CO					
MUTATION 133		Smt bimla devi w/o Subhash chandra tiwari, saharjori	Srematya sonawala dawaya w/o Jagdish tiwari & others, Saharjori	mutation	06.06.17	21.06.17	Order	6217/08.07.11	cky	5	Saharjori	360	2759	5	Allowed	CO					
MUTATION 134		Shetal mukharje D/o Upendranath mukharje, chandankiyari	Matya menu Dewya w/o Ajit mukharje, tekuda	mutation	06.06.17	21.06.17	Order	107/10.01.94	cky	5	Tekuda	85	1123	16.5	Allowed	CO					
MUTATION 135		Ram krishna chandra s/o Ratan chandra, chandankiyari	Harendra nath bhagat s/o sri ram bhagat chandankiyari	mutation	06.06.17	21.06.17	Order	2582/30.04.72	cky	5	chandankiyari	217	1262	1	Allowed	CO					
MUTATION 136		Anand kumar bhagat s/o Kaji bhagat, chandankiyari	Ramkishore bhagat s/o Baludev bhagat, chandankiyari	mutation	06.06.17	21.06.17	Order	4424/03.05.88	cky	5	chandankiyari	64	1199	0.3	Allowed	CO					